

IS 3200 MIDNIGHT

The IS 3200 Midnight is a special edition that takes the IS 3200 to a whole new level. With a black paint scheme, chrome wheels, high-end adjustable shocks, a rugged rear bumper, and front end guard with service jack and light kit - this unit is one-of-a-kind.



- 1 iCD Cutting System with 2-belt deck**
Engineered for the best quality cut and longer life
- 2 Foot-operated deck lift**
An adjustable pedal changes cut height in 1/4" increments from 1.5" to 5"
- 3 Hercules™ II spindles**
Greaseable bearings and heavy-duty cast-iron construction provide a longer usable life
- 4 Enhanced, patented independent suspension system**
12-position adjustable dampening, progressive rate springs
- 5 Hydro-Gear® ZT-5400 Powertrain transaxles**
Dual-commercial transaxles with 9" cooling fans to repel debris
- 6 26" turf-friendly rear tires**
Large rear tires feature a rugged, deep tread pattern for added traction
- 7 Ground speeds up to 12 mph**
Cover more grass in less time for increased productivity
- 8 Fuel capacity of 11 gallons of unleaded gasoline**
Rugged twin 5.5 gallon fuel tanks
- 9 Front end guard**
Multi-functional with recessed jack mount and recessed LED lights

Available accessories:
Collection systems (61"), mulch kit, trailer hitch kit, flat-free caster tires, professional stripe kit

MODEL	ENGINE OPTIONS	DECK
5901781	Vanguard® BIG BLOCK™ EFI w/ Oil Guard™ System (37 hp*/993cc)	61" iCD

IS 3200

The IS 3200 is built to mow all day long. It is the most heavy-duty commercial mower in the Ferris line-up, offering top-of-the-line commercial components and our highest top speed.



- 1 iCD Cutting System with 2-belt deck**
Engineered for the best quality cut and longer life
- 2 Foot-operated deck lift**
An adjustable pedal changes cut height in 1/4" increments from 1.5" to 5"
- 3 Hercules™ II spindles**
Greaseable bearings and heavy-duty cast-iron construction provide a longer usable life
- 4 Patented independent suspension system**
Keeps the wheels in contact with the ground for faster mowing and consistent cut
- 5 Hydro-Gear ZT-5400 Powertrain transaxles**
Dual-commercial transaxles with 9" cooling fans to repel debris
- 6 26" turf-friendly rear tires**
Large rear tires provide increased traction and performance
- 7 Ground speeds up to 12 mph**
Cover more grass in less time for increased productivity
- 8 Fuel capacity of 11 gallons of unleaded gasoline**
Rugged twin 5.5 gallon fuel tanks

Available accessories:
Collection systems (61"), mulch kit, trailer hitch kit, flat-free caster tires, LED light kit, deluxe high-back suspension seat, service jack, professional stripe kit, front bumper kit

MODEL	ENGINE OPTIONS	DECK
5901575	Vanguard® BIG BLOCK™ w/ Oil Guard™ System (32 hp*/896cc)	61" iCD
5901567	Kawasaki® FX1000V (35 hp**/999cc)	
5901577	Vanguard® BIG BLOCK™ EFI w/ Oil Guard™ System (37 hp*/993cc) w/ SS†	
5901574	Vanguard® BIG BLOCK™ w/ Oil Guard™ System (32 hp*/896cc)	72" iCD
5901570	Kawasaki® FX1000V (35 hp**/999cc)	
5901576	Vanguard® BIG BLOCK EFI w/ Oil Guard™ System (37 hp*/993cc) w/ SS†	

† SS = Suspension Seat

* Power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.

** All power levels are stated gross horsepower per SAE J2723 as rated by Kawasaki.

^ Power rated by engine manufacturer.

IS 2600

The IS 2600 offers diesel power with premium features that perform well under the rigors of professional landscaping.



- 1 iCD Cutting System**
Engineered for the best quality cut and longer life
- 2 Foot-operated deck lift**
An adjustable pedal changes cut height in 1/4" increments from 1.75" to 5"
- 3 Cast-iron spindles**
Greaseable bearings for a longer usable life
- 4 Patented independent suspension system**
Keeps the wheels in contact with the ground for faster mowing and consistent cut
- 5 Hydro-Gear ZT-4400™ transaxles**
Dual-commercial transaxles with 8.3" cooling fans to repel debris
- 6 24" turf-friendly rear tires**
Large rear tires provide increased traction and performance
- 7 Ground Speeds up to 10 mph**
Cover more grass in less time for increased productivity
- 8 Fuel capacity of 11 gallons of diesel fuel**
Rugged twin 5.5 gallon fuel tank

Available accessories:
Mulch kit, trailer hitch kit, flat-free caster tires, LED light kit, deluxe high-back suspension seat, service jack, professional stripe kit

IS 2100

The IS 2100 is engineered with commercial components and the iCD cutting system, making it an aggressive performer for pros.



- 1 iCD Cutting System with 2-belt deck**
Engineered for the best quality cut and longer life
- 2 Foot-operated deck lift**
An adjustable pedal changes cut height in 1/4" increments from 1.5" to 5"
- 3 Greaseable spindles for longer usable life**
Cast iron (61") or aluminum (52")
- 4 Patented independent suspension system**
Keeps the wheels in contact with the ground for faster mowing and consistent cut
- 5 Hydro-Gear ZT-4400 transaxles**
Dual-commercial transaxles with 8.3" cooling fans to repel debris
- 6 24" turf-friendly rear tires**
Large rear tires provide increased traction and performance
- 7 Ground Speeds up to 10 mph**
Cover more grass in less time for increased productivity
- 8 Fuel capacity of 11 gallons of unleaded gasoline**
Rugged twin 5.5 gallon fuel tanks

Available accessories:
Collection systems, mulch kit, trailer hitch kit, flat-free caster tires, LED light kit, deluxe high-back suspension seat, service jack, professional stripe kit

MODEL	ENGINE OPTIONS	DECK
5901475	Yanmar™ Diesel (24 hp*/904cc)	61" iCD

MODEL	ENGINE OPTIONS	DECK
5901581	Vanguard® 810cc (26 hp*/810cc)	52" iCD
5901582	Kawasaki® FX801V (25.5 hp**/852cc)	
5901792	Vanguard® 810cc EFI w/ Oil Guard™ System (28 hp*/810cc) w/ SS ¹	
5901587	Vanguard® 810cc (26 hp*/810cc)	61" iCD
5901588	Kawasaki® FX801V (25.5 hp**/852cc)	
5901714	Kawasaki® FX850V EFI (29.5 hp**/852cc)	
5901578	Vanguard® 810cc EFI w/ Oil Guard™ System (28 hp*/810cc) w/ SS ¹	

¹ SS = Suspension Seat

* Power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.

** All power levels are stated gross horsepower per SAE J2723 as rated by Kawasaki.

^ Power rated by engine manufacturer.

ISX 800

The ISX 800 features the next generation in Ferris independent suspension technology; the Forefront Suspension System. This unit provides a comfortable ride that lets you get more done.



- 1 iCD Cutting System with 2-belt deck**
Engineered for the best quality cut and longer life
- 2 Foot-operated deck lift**
An adjustable pedal changes cut height in 1/4" increments from 1.5" to 5"
- 3 Cast aluminum spindles**
Greaseable bearings provide a longer usable life
- 4 Patented Forefront™ Suspension System**
Four steel control rods ensure the caster wheel remains vertical for ultimate comfort and control
- 5 Hydro-Gear ZT-3400® transaxles**
Dual-commercial transaxles with 7" cooling fans to repel debris
- 6 23" turf-friendly rear tires**
Large rear tires provide increased traction and performance
- 7 Ground Speeds up to 10 mph**
Cover more grass in less time for increased productivity
- 8 Fuel capacity of 5.5 gallons of unleaded gasoline**

Available accessories:

Collection systems, mulch kit, trailer hitch kit, flat-free caster tires, LED light kit, premium mid-back suspension seat, service jack, professional stripe kit

MODEL	ENGINE OPTIONS	DECK
5901746	Kawasaki® FS730V (24 hp*/726cc)	52" ICD
5901790	Briggs & Stratton® Commercial Series (27 hp*/724cc)	
5901791	Briggs & Stratton® Commercial Series (27 hp*/724cc)	61" ICD
5901777	Briggs & Stratton® Commercial Series EFI (27 hp*/810cc)	
5901778	Vanguard® 810cc (26 hp*/810cc)	
5901745	Kawasaki® FT730V EFI (26 hp*/726cc)	

IS 700

The IS 700 provides commercial components at an amazing value for landscapers and large property owners.



- 1 iCD Cutting System**
Engineered for the best quality cut and longer life
- 2 Foot-operated deck lift**
An adjustable pedal changes cut height in 1/4" increments from 1.5" to 5"
- 3 Cast aluminum spindles**
Greaseable bearings provide a longer usable life
- 4 Patented suspension system**
Pivoting front axle allows the wheels to follow the ground for faster mowing speeds with a consistent cut quality
- 5 Hydro-Gear ZT-3200® transaxles**
Dual-commercial transaxles with 7" cooling fans to repel debris
- 6 22" turf-friendly rear tires**
Large rear tires provide increased traction and performance
- 7 Ground Speeds up to 10 mph**
Cover more grass in less time for increased productivity
- 8 Fuel capacity of 5.5 gallons of unleaded gasoline**

Available accessories:

Collection systems, mulch kit, trailer hitch kit, flat-free caster tires, LED light kit, premium mid-back suspension seat, service jack, professional stripe kit

MODEL	ENGINE OPTIONS	DECK
5901796	Briggs & Stratton® Commercial Series (27 hp*/724cc)	52" ICD
5901797	Briggs & Stratton® Commercial Series (27 hp*/724cc)	61" ICD

† SS = Suspension Seat

* Power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.

** All power levels are stated gross horsepower per SAE J2723 as rated by Kawasaki.

IS 600

The IS 600 provides the best value in a compact zero-turn mower, along with maneuverability and productivity.



- 1 Fabricated 10-gauge steel deck**
Double top deck, overlap welded corners and double reinforced side skirts, steel reinforced leading edge
- 2 Foot-operated deck lift**
An adjustable pedal changes cut height in ¼" increments from 1.5" to 4.5"
- 3 Cast aluminum spindles**
Greaseable bearings provide a longer usable life
- 4 Patented suspension system**
Pivoting front axle allows the wheels to follow the ground for faster mowing speeds with a consistent cut quality
- 5 Hydro-Gear ZT-3200® transaxles**
Dual-commercial transaxles with 7" cooling fans to repel debris
- 6 Large, turf-friendly rear tires**
22" rear tires (48", 52" decks) or 20" rear tires (44")
- 7 Ground Speeds up to 10 mph**
Cover more grass in less time for increased productivity
- 8 Fuel capacity of 5.5 gallons of unleaded gasoline**

Available accessories:

Collection systems, mulch kit, trailer hitch kit, flat-free caster tires, light kit, service jack, professional stripe kit, folding ROPS

MODEL	ENGINE OPTIONS	DECK
5901699	Briggs & Stratton® Commercial Series (25 hp*/724cc)	44"
5901701	Briggs & Stratton® Commercial Series (25 hp*/724cc)	48"
5901702	Kawasaki® FS600V (18.5 hp**/603cc)	
5901700	Briggs & Stratton® Commercial Series (25 hp*/724cc)	52"
5901776	Kawasaki® FS691V (23 hp**/726cc)	

† SS = Suspension Seat

* Power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.

** All power levels are stated gross horsepower per SAE J2723 as rated by Kawasaki.

F320

The F320 is for the commercial landscaper who demands power, performance, dependability and up to 6' of cutting width.



- 1 iCD Cutting System with 2-belt deck**
Engineered for the best quality cut and longer life
- 2 Foot-operated deck lift**
An adjustable pedal changes cut height in ¼" increments from 1.5" to 5"
- 3 Hercules™ II spindles**
Greaseable bearings and heavy-duty cast-iron construction provide a longer usable life
- 4 Hydro-Gear ZT-5400 Powertrain® transaxles**
Dual-commercial transaxles with 9" cooling fans to repel debris
- 5 26" turf-friendly rear tires**
Large rear tires provide increased traction and performance
- 6 Ground speeds up to 12 mph**
Cover more grass in less time for increased productivity
- 7 Fuel capacity of 11 gallons of unleaded gasoline**
Rugged twin 5.5 gallon fuel tanks

Available accessories:
Collection systems (61"), mulch kit, trailer hitch kit, LED light kit, service jack, professional stripe kit

F210

The F210 is built with premium components, making it a workhorse you and your crew can depend on day after day.



- 1 iCD Cutting System with 2-belt deck**
Engineered for the best quality cut and longer life
- 2 Foot-operated deck lift**
An adjustable pedal changes cut height in ¼" increments from 1.5" to 5"
- 3 Cast-iron spindles**
Greaseable bearings with top access grease fittings for a longer usable life
- 4 Hydro-Gear ZT-5400 Powertrain transaxles**
Dual-commercial transaxles with 9" cooling fans to repel debris
- 5 24" turf-friendly rear tires**
Large rear tires provide increased traction and performance
- 6 Ground speeds up to 10 mph**
Cover more grass in less time for increased productivity
- 7 Fuel capacity of 11 gallons of unleaded gasoline**
Rugged twin 5.5 gallon fuel tanks

Available accessories:
Collection systems, mulch kit, trailer hitch kit, LED light kit, service jack, professional stripe kit

MODEL	ENGINE OPTIONS	DECK
5901711	Kawasaki® FX850V EFI (29.5 hp*/852cc) w/ SS†	61" ICD
5901710	Vanguard® BIG BLOCK™ EFI w/ Oil Guard™ System (32 hp*/896cc) w/ SS†	
5901644	Vanguard® BIG BLOCK™ EFI w/ Oil Guard™ System (37 hp*/993cc) w/ SS†	
5901713	Kawasaki® FX850V EFI (29.5 hp*/852cc) w/ SS†	72" ICD
5901712	Vanguard® BIG BLOCK™ w/ Oil Guard™ System (32 hp*/896cc) w/ SS†	
5901646	Vanguard® BIG BLOCK™ EFI w/ Oil Guard™ System (37 hp*/993cc) w/ SS†	

MODEL	ENGINE OPTIONS	DECK
5901651	Kawasaki® FX801V (25.5 hp*/852cc) w/ SS†	61" ICD
5901709	Vanguard® 810cc (26 hp*/810cc) w/ SS†	
5901653	Vanguard® 810cc EFI w/ Oil Guard™ System (28 hp*/810cc) w/ SS†	

† SS = Suspension Seat

* Power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.

** All power levels are stated gross horsepower per SAE J2723 as rated by Kawasaki.

F160

The F160 is compact and powerful to allow you to get more done throughout the day.



- 1 iCD Cutting System**
Engineered for the best quality cut and longer life
- 2 Foot-operated deck lift**
An adjustable pedal changes cut height in ¼" increments from 1.5" to 5"
- 3 Greaseable spindles for longer usable life**
Cast-iron (52" deck) or Aluminum (48" deck)
- 4 Hydro-Gear ZT-4400 transaxles**
Dual-commercial transaxles with 8.3" cooling fans to repel debris
- 5 24" turf-friendly rear tires**
Large rear tires provide increased traction and performance
- 6 Ground speeds up to 10 mph**
Cover more grass in less time for increased productivity
- 7 Fuel capacity of 11 gallons of unleaded gasoline**
Rugged twin 5.5 gallon fuel tanks

Available accessories:

Collection systems, mulch kit, trailer hitch kit, LED light kit, service jack, professional stripe kit

F60

The compact, small-frame F60 is lightweight to maneuver easily in tight spaces.



- 1 Fabricated 10-gauge steel deck**
Double top deck, overlap welded corners and double reinforced side skirts, steel reinforced leading edge
- 2 Foot-operated deck lift**
An adjustable pedal changes cut height in ¼" increments from 1.5" to 4.5"
- 3 Cast aluminum spindles**
Greaseable bearings provide a longer usable life
- 4 Hydro-Gear ZT-3100[®] transaxles**
Dual-commercial transaxles with 7" cooling fans to repel debris
- 5 20" turf-friendly rear tires**
- 6 Ground speeds up to 7 mph**
Cover more grass in less time for increased productivity
- 7 Fuel capacity of 8 gallons of unleaded gasoline**
Rugged twin 4 gallon fuel tanks

Available accessories:

Mulch kit, metal grass catcher, trailer hitch kit, LED light kit, service jack


MODEL	ENGINE OPTIONS	DECK
5901517	Kawasaki [®] FX730V (23.5 hp**/726cc) w/ SS†	48" ICD
5901516	Vanguard [®] 810cc (26 hp*/810cc) w/ SS†	
5901518	Kawasaki [®] FX730V (23.5 hp**/726cc) w/ SS†	52" ICD
5901519	Vanguard [®] 810cc EFI (28 hp*/810cc) w/ SS†	

MODEL	ENGINE OPTIONS	DECK
5901549	Kawasaki [®] FX600V (19 hp**/603cc)	36"
5901548	Briggs & Stratton [®] Commercial Series (25 hp*/724cc)	

† SS = Suspension Seat

* Power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.

** All power levels are stated gross horsepower per SAE J2723 as rated by Kawasaki.



400S



400S ▶ 44" / 48"

S SERIES

We made the S Series for those who need their mower to take on a little bit of everything. This zero-turn workhorse has industry-leading suspension technology, serving up cut quality, comfort and durability for professionals and homeowners alike. We built it to be more affordable, so more operators can experience a superior cut.

▶ POWER OPTIONS

- Choose from Briggs & Stratton Commercial Series or Kawasaki engines to conquer all kinds of terrain.

▶ SMOOTHER RIDE

A large, independent coil over shock rear suspension keeps the mower steady, so you can stay comfortable while mowing all day.

▶ CUTTING OPTIONS

Choose between a 44" or 48" cutting width for the flexibility to handle a wide range of conditions with ease.

- 1 Fabricated 10-gauge steel deck**
Double top deck, overlap welded corners and double reinforced side skirts, steel reinforced leading edge
- 2 Foot-operated deck lift**
An adjustable pedal changes cut height in 1/4" increments from 1.5" to 4.5"
- 3 Cast aluminum spindles**
Greaseable bearings provide a longer usable life
- 4 Patented suspension system**
Front and rear adjustable shocks allow the wheels to follow the ground for faster mowing speeds with a consistent cut quality
- 5 Hydro-Gear ZT-2800® transaxles**
Dual-commercial transaxles with 7" cooling fans to repel debris
- 6 20" turf-friendly rear tires**
- 7 Ground speeds up to 8 mph**
Cover more grass in less time for increased productivity
- 8 Fuel capacity of 5.5 gallons of unleaded gasoline**

Available accessories:

Collection systems, mulch kit, trailer hitch kit, LED light kit, service jack

MODEL	ENGINE OPTIONS	DECK
5901774	Briggs & Stratton® Commercial Series (23 hp*/724cc)	44"
5901773	Kawasaki® FR651V (22 hp**/726cc)	
5901775	Briggs & Stratton® Commercial Series (25 hp*/724cc)	48"
5901705	Kawasaki® FR651V (21.5 hp**/726cc)	

* All power levels are stated gross horsepower at 3600 RPM per SAE J1940 as rated by Briggs & Stratton.
** All power levels are stated gross horsepower per SAE J2723 as rated by Kawasaki.

4 YEAR OR 500 HOURS LIMITED WARRANTY†

† See operator's manual or ferrismowers.com for complete warranty details.
Refer to the engine operator's manual for engine warranty details.

SRS Z3X

The SRS Z3X has the agility you expect from the Soft-Ride stand-on line, paired with a pivoting front axle to keep the wheels in contact with the ground for added stability and improved quality of cut.



- 1 iCD Cutting System**
Engineered for the best quality cut and longer life
- 2 Standard-locking 4-position speed control**
No tools are required to set the speed control bar for smooth operation
- 3 Cast-iron spindles**
Greaseable bearings with top access grease fittings for a longer usable life
- 4 Pivoting front axle with radius rods**
Ensures that all four wheels hold their contact, even when conditions get tough
- 5 Hydro-Gear ZT-4400® transaxles**
Dual-commercial transaxles with 8" cooling fans to repel debris and a 3-yr limited warranty
- 6 24" turf-friendly rear tires**
Boost traction and soften bumps on challenging turf
- 7 Ground speeds up to 12 mph**
Cover more grass in less time for increased productivity
- 8 Fuel capacity of 11 gallons of unleaded gasoline**
Centrally located fuel tank
- 9 Suspended operator platform**
Wide operator platform suspended by a coil-over shock with five adjustable positions

Available accessories:

Mulch kit, metal grass catcher (52" deck), LED light kit, professional stripe kit

MODEL	ENGINE OPTIONS	DECK
5901784	Vanguard® BIG BLOCK™ EFI w/ Oil Guard™ System (33 hp*/896cc)	52" iCD
5901809	Vanguard® BIG BIG BLOCK™ EFI w/ Oil Guard™ System (37 hp*/993cc)	
5901691	Kawasaki® FX850V EFI (29.5 hp**/852cc)	61" iCD
5901789	Vanguard® BIG BLOCK™ EFI w/ Oil Guard™ System (33 hp*/896cc)	
5901692	Vanguard® BIG BLOCK™ EFI w/ Oil Guard™ System (37 hp*/993cc)	
5901693	Kawasaki® FX850V EFI (29.5 hp**/852cc)	
5901694	Vanguard® BIG BLOCK™ EFI w/ Oil Guard™ System (37 hp*/993cc)	72" iCD

SRS Z2

The SRS Z2 provides the power, productivity, and easy on/off capability you need to clear obstacles and keep cutting.



- 1 iCD Cutting System**
Engineered for the best quality cut and longer life
- 2 Standard-locking 3-position speed control**
No tools are required to set the speed control bar for smooth operation
- 3 Greaseable spindles for longer usable life**
Cast-iron (61" deck) or Aluminum (52" deck)
- 4 Hydro-Gear ZT-3400® transaxles**
Dual-commercial transaxles with 7" cooling fans to repel debris and a 3-yr limited warra
- 5 23" turf-friendly rear tires**
Large rear tires provide increased traction and performance
- 6 Ground speeds up to 10 mph**
Cover more grass in less time for increased productivity
- 7 Fuel capacity of 8 gallons of unleaded gasoline**
Centrally located fuel tank
- 8 Suspended operator platform**
Wide operator platform suspended by a coil-over shock with five adjustable positio

Available accessories:

Mulch kit, metal grass catcher (52" deck), LED light kit, professional stripe kit

MODEL	ENGINE OPTIONS	DECK
5901680	Kawasaki® FX730V EFI (25.5 hp**/726cc)	52" iCD
5901466	Kawasaki® FX801V (25.5 hp**/852cc)	
5901605	Vanguard® 810 EFI w/ Oil Guard™ System (28 hp*/810cc)	61" iCD
5901468	Kawasaki® FX801V (25.5 hp**/852cc)	
5901606	Vanguard® 810 EFI w/ Oil Guard™ System (28 hp*/810cc)	
5901606	Vanguard® 810 EFI w/ Oil Guard™ System (28 hp*/810cc)	

* All power levels are stated gross horsepower at 3600 RPM per SAE J1940 as rated by Briggs & Stratton.
** All power levels are stated gross horsepower per SAE J2723 as rated by Kawasaki.

SRS Z1

The SRS Z1 is compact and agile, allowing you to ride confidently into narrow spaces with advanced comfort, stability, and versatility.



- 1 Fabricated 10-gauge steel deck**
Double top deck, overlap welded corners and double reinforced side skirts, steel reinforced leading edge
- 2 Standard-locking 3-position speed control**
No tools are required to set the speed control bar for smooth operation
- 3 Cast aluminum spindles**
Greaseable bearings provide a longer usable life
- 4 Hydro-Gear ZT-3400 transaxles**
Dual-commercial transaxles with 7" cooling fans to repel debris and a 3-yr limited warranty
- 5 23" turf-friendly rear tires**
Large rear tires provide increased traction and performance
- 6 Ground speeds up to 8 mph**
Cover more grass in less time for increased productivity
- 7 Fuel capacity of 6 gallons of unleaded gasoline**
Centrally located fuel tank
- 8 Suspended operator platform**
Wide operator platform suspended by a coil-over shock with five adjustable positions

Available accessories:

Mulch kit, metal grass catcher, LED light kit, professional stripe kit (48" deck)

MODEL	ENGINE OPTIONS	DECK
5901546	Kawasaki® FX600V (19 hp**/603cc)	36"
5901550	Vanguard® Model 3867 (23 hp*/627cc)	
5901547	Kawasaki® FX691V (22 hp**/726cc)	48"
5901675	Vanguard® Model 3867 (23 hp*/627cc)	



* All power levels are stated gross horsepower at 3600 RPM per SAE J1940 as rated by Briggs & Stratton.
 ** All power levels are stated gross horsepower per SAE J2723 as rated by Kawasaki.

F800X

The out-front design of the F800X is perfect for trimming around trees, bushes and landscaped areas.



F800X ▶ 61" / 72"

ProCut S

The ProCut S is a three-wheel rider and features a simple design for easy operation and serviceability.



ProCut S ▶ 61"

1 iCD Cutting System

Engineered for the best quality cut and longer life

2 Electric deck lift

Changes cut height in ¼" increments from 1.5" to 5" and provides easy deck cleaning, maintenance, curb climbing, and trailer loading

3 Cast-iron spindles

Greaseable bearings with top access grease fittings for a longer usable life

4 Pivoting rear axle and floating frame

Allows the deck and unit to follow the contours of the landscape for a precise finish

5 Independent pumps and wheel motors

Feature 7" cooling fans to repel debris

6 24" turf-friendly rear tires

7 Ground speeds up to 10 mph

Cover more grass in less time for increased productivity

8 Fuel capacity of 12 gallons of unleaded gasoline

Rugged twin 6-gallon fuel tanks

Available accessories:

Collection systems (61"), mulch kit, flat-free caster tires, professional stripe kit, 60" broom, cab enclosure, 60" snow blower

MODEL	ENGINE OPTIONS	DECK
5901236 w/ 5901237	Vanguard® (31 hp*/896cc)	61" iCD
5901236 w/ 5901238	Vanguard® (31 hp*/896cc)	72" iCD

1 Fabricated 10-gauge steel deck

Double top deck, overlap welded corners and double reinforced side skirts, steel reinforced leading edge

2 Hand-operated cut height

Changes cut height in ¼" increments from 1.5" to 5"

3 Cast aluminum spindles

Greaseable bearings provide a longer usable life

4 Independent suspension technology

Rear wheel suspension with adjustable coil-over shocks

5 Electric deck lift

Provides easy deck cleaning, maintenance, curb climbing, and trailer loading

6 22" turf-friendly drive tires

18" rear tire helps with steering

7 Ground speeds up to 8 mph

Cover more grass in less time for increased productivity

8 Fuel capacity of 5.5 gallons of unleaded gasoline

Available accessories:

Mulch kit, flat-free caster tires, professional stripe kit, 50" snow blower

MODEL	ENGINE OPTIONS	DECK
5900533 w/ 5900632	Kawasaki® FS730V (24 hp**/726cc)	61"
5901279 w/ 5900632	Briggs & Stratton® Commercial Series (27 hp*/810cc)	

2+2 YEAR LIMITED WARRANTY† + 5-YEAR LIMITED SUSPENSION WARRANTY* (ProCut S)†

* All power levels are stated gross horsepower at 3600 RPM per SAE J1940 as rated by Briggs & Stratton.

** All power levels are stated gross horsepower per SAE J2723 as rated by Kawasaki.

† See operator's manual or ferrismowers.com for complete warranty details. Refer to the engine operator's manual for engine warranty details.

FW35

The FW35 dual hydrostatic walk-behind was built from the ground-up to meet the demands of professional mowing crews.



- 1 Fabricated 10-gauge steel deck**
Double top deck, overlap welded corners and double reinforced side skirts, steel reinforced leading edge
- 2 Hand-operated deck lift**
Quick-adjust crank changes cut height variably from 1.5" to 5"
- 3 CC™ Centralized Controls**
Provides a natural, ergonomic hand position for improved comfort
- 4 Cast-iron spindles**
Greaseable bearings with top access grease fittings for a longer usable life
- 5 Momentary PTO switch**
Blades automatically disengage and keep the engine running
- 6 Hydro-Gear ZT-3100® transaxles**
Dual-commercial transaxles with 7" cooling fans to repel debris
- 7 Ground speeds up to 7 mph**
Cover more grass in less time for increased productivity
- 8 Fuel capacity of 5 gallons of unleaded gasoline**
Rugged tank with wide filler neck

Available accessories:

Mulch kit, fabric grass catcher (48" & 52"), metal grass catcher (48" & 52"), LED light kit, professional stripe kit, weight kit, sully

MODEL	ENGINE OPTIONS	DECK
5901320	Kawasaki® FX651V (20.5 hp**/726cc) Std Controls	48"
5901361	Kawasaki® FX651V (20.5 hp**/726cc) CC™ Controls	
5901319	Kawasaki® FX651V (20.5 hp**/726cc) Std Controls	52"
5901362	Kawasaki® FX651V (20.5 hp**/726cc) CC™ Controls	
5901599	Vanguard® 810 EFI w/ Oil Guard™ System (28 hp*/810cc) Std Controls	
5901600	Vanguard® 810 EFI w/ Oil Guard™ System (28 hp*/810cc) CC™ Controls	
5901318	Kawasaki® FX730V (23.5 hp**/726cc) Std Controls	61"
5901363	Kawasaki® FX730V (23.5 hp**/726cc) CC™ Controls	
5901601	Vanguard® 810 EFI w/ Oil Guard™ System (28 hp*/810cc) Std Controls	
5901602	Vanguard® 810 EFI w/ Oil Guard™ System (28 hp*/810cc) CC™ Controls	

FW25

The FW25 dual hydrostatic walk-behind packs the professional features of the FW35 into a narrower package for increased maneuverability and access to tight places.



- 1 Fabricated 10-gauge steel deck**
Double top deck, overlap welded corners and double reinforced side skirts, steel reinforced leading edge
- 2 Hand-removable deck pins**
Change cut height in 1/2" increments from 1.5" to 4.5"
- 3 CC™ Centralized Controls**
Provides a natural, ergonomic hand position for improved comfort
- 4 Cast aluminum spindles**
Greaseable bearings with top access grease fittings for a longer usable life
- 5 Momentary PTO switch**
Blades automatically disengage and keep the engine running
- 6 Hydro-Gear ZT-3100® transaxles**
Dual-commercial transaxles with 7" cooling fans to repel debris
- 7 Ground speeds up to 6 mph**
Cover more grass in less time for increased productivity
- 8 Fuel capacity of 5 gallons of unleaded gasoline**
Rugged tank with wide filler neck

Available accessories:

Mulch kit, fabric grass catcher, metal grass catcher, professional stripe kit (48"), weight kit, sully

MODEL	ENGINE OPTIONS	DECK
5901425	Kawasaki® FS541V (15 hp**/603cc) Std Controls Manual Start	36"
5901426	Kawasaki® FS600V (18.5 hp**/603cc) CC™ Controls Electric Start	
5901501	Kawasaki® FS600V (18.5 hp**/603cc) Std Controls Electric Start	48"
5901502	Kawasaki® FS600V (18.5 hp**/603cc) CC™ Controls Electric Start	

* All power levels are stated gross horsepower at 3600 RPM per SAE J1940 as rated by Briggs & Stratton.
** All power levels are stated gross horsepower per SAE J2723 as rated by Kawasaki.

FW15

The FW15 variable hydrostatic walk-behind provides a narrow footprint for trimming around trees and planter beds.



Caster wheel model available



- 1 Fabricated timed steel mower deck**
32" compact fully-commercial, fabricated, reinforced steel deck with dual timed cutting blades

- 2 Ergonomic controls**
Centrally located ergonomic controls with both forward and reverse

- 3 Spring-assisted mower deck lift lever**
Spring assisted, single adjustment point lever for easy cut height adjustment from 1.5" to 5"

- 4 Adjustable handlebars**
4-position adjustable handlebars and adjustable speed control for one-handed operation

- 5 Cast aluminum spindles**
Greaseable bearings provide a longer usable life


- 6 Peerless transaxle and Hydro-Gear pump**
Rugged smooth maneuverability

- 7 13" oversized drive tires**
Large pneumatic drive tires and lightweight front wheels provide high traction

- 8 Ground speeds up to 4 mph**

Available accessories:
Mulch kit, cloth catcher

MODEL	ENGINE OPTIONS	DECK
5901736	Honda® GX390 (10.2 net hp [^] /389cc) Fixed Wheel	32"
5901737	Honda® GX390 (10.2 net hp [^] /389cc) Caster Wheel	



[^] Engine power levels rated by manufacturer.



REGENT LAWN TRACTOR

MASTER THE CONTOURS OF YOUR LAWN With Simplicity quality and durability, the Regent does more than provide you with the essentials. These lawn tractors offer reliable Briggs & Stratton® Engines, rugged mower decks and optional comfort-enhancing rear suspension.

REAR SUSPENSION

Feel 25% less impact¹ than a tractor without suspension.

FREE FLOATING MOWER DECK

The exclusive Free Floating Mower Deck follows the contours of your lawn to give a beautiful, scalp free cut.



BRIGGS & STRATTON ENGINE

Designed to deliver world-class endurance and power for years to come. Complete with a 3-year limited warranty.³

ELECTRIC HEIGHT-OF-CUT

Adapt to changing grass conditions with the simple touch of a switch.

QUICK HITCH™ DECK

Easily remove the mower deck without tools for simple cleaning, blade sharpening, and attachment hook up.

- Tight, 14-inch Turning Radius
- Electric PTO Engagement
- Foot Operated Automatic Transmission
- Easy-to-Use Dash Controls
- Cruise Control
- LED Headlights
- Steel Front Bumper
- All Steel Hood Construction

 **TEXT 'REGENT' TO 33988**
FOR CUSTOMER REVIEWS
DATA RATES APPLY.⁴

38 inches
23 gross hp²

724cc Briggs & Stratton Professional Series™ V-Twin

42 inches
23 gross hp²

724cc Briggs & Stratton Professional Series V-Twin

Fabricated Mower Deck with Limited Lifetime Warranty³

44 inches
25 gross hp²

724cc Briggs & Stratton Professional Series V-Twin



48 inches
25 gross hp²

724cc Briggs & Stratton Professional Series V-Twin

Fabricated Mower Deck with Limited Lifetime Warranty³

48 inches
25 gross hp²

724cc Briggs & Stratton Professional Series V-Twin

Fabricated Mower Deck with Limited Lifetime Warranty³





BROADMOOR LAWN TRACTOR

BRING COMFORT AND PERFORMANCE TO YOUR LAWN Can a lawn tractor be both high-performance and comfortable? The Simplicity Broadmoor answers this question with a definite "YES!" With its unique Free Floating Mower Deck, rear suspension and breathable ergonomic mesh seat, mowing the lawn will never feel like a chore again.

SCS™ The exclusive rear Suspension Comfort System™ reduces the impact felt at faster speeds.

POWER STEERING Reduce steering effort for a more enjoyable cutting or plowing experience.

ELECTRIC HEIGHT-OF-CUT Easily adjust the cutting height with the simple touch of a switch.



BRIGGS & STRATTON ENGINE

Featuring ReadyStart® no choke starting system for easy car-like starts. Complete with a 3-year limited warranty.³

ACT™ Maintain superior traction in all operating conditions with Automatic Controlled Traction.

FREE FLOATING MOWER DECK The exclusive Free Floating Mower Deck follows the contours of your lawn to give a beautiful, scalp free cut.

- Foot Operated Automatic Transmission
- High-Speed Tuff Torq® Transmission (25/48 & 25/52 models only)
- Durable 10-Gauge Welded Steel Frame and Steel Front Bumper
- Quick Hitch Deck Removal System
- Mesh Seat
- Tight, 18-inch Turning Radius
- Cast-Iron Pivoting Front Axle
- Cruise Control
- Integrated Hydraulic Lift (25/52 model only)
- LED Headlights

44 inches
23 gross hp²

724cc Briggs & Stratton Professional Series V-Twin with ReadyStart

48 inches
23 gross hp²

724cc Briggs & Stratton Professional Series V-Twin with ReadyStart

Fabricated Mower Deck with Limited Lifetime Warranty³

50 inches
25 gross hp²

724cc Briggs & Stratton Professional Series V-Twin with ReadyStart

48 inches
25 gross hp²

724cc Briggs & Stratton Professional Series V-Twin with ReadyStart

Fabricated Mower Deck with Limited Lifetime Warranty³



52 inches
25 gross hp²

724cc Briggs & Stratton Professional Series V-Twin with ReadyStart

Fabricated Mower Deck with Limited Lifetime Warranty³



¹Results of Suspension Comfort System depend on grass/yard conditions.

²All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.

³See operator's manual or www.simplicitymfg.com for complete warranty details.

⁴Go to www.simplicitymfg.com for terms and privacy information.



TEXT 'BROADMOOR'
TO 33988
FOR CUSTOMER REVIEWS

DATA RATES APPLY.⁴



CONQUEST YARD TRACTOR

DO MORE WITH YOUR TRACTOR Can a yard tractor do more than just cut your lawn? The Simplicity Conquest does. Engineered to be compatible with a full line of attachments, it's more than just a mower. The Quick Hitch Deck Removal System lets you easily remove the mower deck, so the Conquest can be that helping hand in your yard.

SCS™ The exclusive rear Suspension Comfort System reduces the impact felt at faster speeds.

DURABLE TRANSMISSION The Tuff Torq® high-speed transmission with differential lock offers a hydrostatic drive for an automotive-like feel.



BRIGGS & STRATTON COMMERCIAL SERIES ENGINE

Electronic Fuel Management (EFM) for automotive-style starting. A tough engine that's ready for anything.

ACT™ Maintain superior traction in all operating conditions with Automatic Controlled Traction.

DELUXE INSTRUMENT PANEL

The panel includes push button starting, fuel gauge, tachometer with "best cut" indication and maintenance reminders providing a premium experience.

- Differential Lock, Locks Rear Wheels for Maximum Traction
- Free Floating Mower Deck
- LED Headlights
- Tilt Steering Wheel (25/52 model only) and Cruise Control
- Quick Hitch Deck Removal System
- Electric Height-of-Cut Adjustment
- Tight, 18-inch Turning Radius
- Power Steering
- Integrated Hydraulic Lift

50 inches
25 gross hp²



724cc Briggs & Stratton Commercial Series V-Twin with EFM

52 inches
25 gross hp²



724cc Briggs & Stratton Commercial Series V-Twin with EFM

Power Steering
Fabricated Mower Deck with Limited Lifetime Warranty³



TEXT 'CONQUEST'
TO 33988
FOR CUSTOMER REVIEWS

DATA RATES APPLY.*



PRESTIGE GARDEN TRACTOR

PREMIUM JUST KEEPS GETTING BETTER Treat yourself to our most premium garden tractor with impressive power, performance, control, exciting design and Simplicity durability. Starting with Automatic Controlled Traction, a powerful Briggs & Stratton Engine, power steering, and cruise control, the Prestige begs to be driven in all seasons.

SCS The exclusive rear Suspension Comfort System reduces the impact felt at faster speeds.

PRECISION TURNING
18" turning radius to navigate intricate landscaping.



BRIGGS & STRATTON COMMERCIAL SERIES ENGINE

Simpler and smarter EFI (Electronic Fuel Injection) allows for all the benefits of reliable starting, fuel efficiency, and optimized power without sacrificing reliability and performance.

HYDRAULIC POWER ATTACHMENT LIFT

The dash-mounted hydraulic lift-lever makes for easy transport of all attachments.

COMFORTABLE RIDE

18" high back seats with arm rests for superior rider comfort.

- Hydraulic Attachment Lift
- Free Floating Mower Deck

- Quick Hitch Deck Removal System
- Tilt Steering Wheel & Cruise Control

- Power Steering
- High-Speed Tuff Torq Transmission

- Differential Lock, Locks Rear Wheels for Maximum Traction

50 inches
27 gross hp²



810cc Briggs & Stratton Commercial Series V-Twin with EFI

52 inches
27 gross hp²



810cc Briggs & Stratton Commercial Series V-Twin with EFI

Fabricated Mower Deck with Limited Lifetime Warranty³

¹Results of Suspension Comfort System depend on grass/yard conditions.

²All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.

³See operator's manual or www.simplicitymfg.com for complete warranty details.

⁴Go to www.simplicitymfg.com for terms and privacy information.

For attachments, please see pages 22-23.

For a full list of specifications please see pages 25-26.



TEXT 'PRESTIGE'
TO 33988
FOR CUSTOMER REVIEWS

DATA RATES APPLY.*



LEGACY XL SUBCOMPACT GARDEN TRACTOR

A SUBCOMPACT WHEN YOU HAVE BIG JOBS TO DO The Legacy XL gives you the power and reliability you need to get big jobs done. Shift between 2WD and 4WD on-the-go, and choose from a long list of attachments to accomplish any task. The exclusive Free Floating Mower Deck gives you the beautiful cut you expect.

UTILITY LIGHT

Conveniently adjusts directions to add just the right amount of light to your project.

OPERATOR COMFORT

Deep-cushioned commercial-style 18-inch high-back seat with armrests provide maximum comfort.

HYDRAULIC CONTROL

LEVER The all-in-one hydraulic joystick lever is integrated into the dash to easily raise, lower or steer attachments.



VANGUARD® BIG BLOCK™ ENGINE Electronic Fuel Injection (EFI) option allows for easy chokeless automotive-style starting with cold and hot restarts and greater fuel efficiency.

DELUXE INSTRUMENT PANEL An intuitive instrument panel complete with a fuel gauge and height-of-cut indicator provides the operator with a premium experience.

52/61 inches (fabricated)¹
31 gross hp¹

885cc Vanguard
BIG BLOCK V-Twin

Fabricated Mower Deck with
Limited Lifetime Warranty²

52/61 inches (fabricated)¹
33 gross hp¹

885cc Vanguard
BIG BLOCK V-Twin with EFI

4WD
Fabricated Mower Deck with
Limited Lifetime Warranty²

52/61 inches (fabricated)¹
33 gross hp¹

885cc Vanguard BIG BLOCK
V-Twin with EFI

4WD
540 Rear PTO
Fabricated Mower Deck with
Limited Lifetime Warranty²

 TEXT 'LEGACYXL' TO 33988
TO LEARN MORE

DATA RATES APPLY.³



COURIER ZERO TURN

UNRIVALED CUTTING, COMFORT & UTILITY Along with the exclusive Suspension Comfort System and commercially-inspired features such as fully-welded frames and rugged front axles, the Courier Residential Zero Turn Mower also brings new levels of utility to the yard through an integrated rear cargo bed¹ (standard on most models).

ADDED VERSATILITY The integrated rear cargo bed¹ along with other great features make it a versatile workhorse in a category of its own. (Available on select models)

DURABLE MOWER DECKS Rugged fabricated 36", 42", 48", and 52" mowers decks are made to last with reinforced top, side, corners, and front to ensure excellent cut quality and durability. Plus, the new 36" compact deck makes getting through a standard fence gate a breeze.




DEPENDABLE ENGINES Choose between a smooth and efficient Briggs & Stratton Professional Series V-Twin Engine featuring ReadyStart no choke starting system or a Kawasaki® V-Twin Engine.

- Hydro-Gear® EZT® or ZT-2800® Transaxles
- Fully Welded Steel Frame
- Thick-Walled Pivoting Front Axle (Available on Select Models)

SCS The exclusive rear Suspension Comfort System reduces the impact felt at faster speeds by 25%.² (Available on select models)

HEIGHT-OF-CUT The foot-assisted height-of-cut allows for easy adjustment between positions ranging from 1.5 to 4.5 inches.



CONTENDER XT ZERO TURN



COMMERCIAL-STYLE FEATURES FOR PROFESSIONAL-GRADE PERFORMANCE

Commercially-inspired features such as durable Hydro-Gear Transaxles and a tough Briggs & Stratton Engine make the Contender XT a powerful performer that leaves behind an impressively cut yard for all to see.

SCS™ Front and rear wheel suspension delivers a smooth ride which takes the pain out of your yard work.

HEAVY-DUTY MOWER DECK Experience a great cut with the added durability of a welded mower deck. Includes a limited lifetime warranty.¹



BRIGGS & STRATTON COMMERCIAL SERIES ENGINE

Designed to perform under harsh, demanding conditions, the Commercial Series Engine provides ultimate dust and debris protection for extended engine life.

CONTROL PANEL All of your controls are conveniently located at your fingertips, including: key switch, choke, throttle, electric PTO switch, cup holder and fuel gauge.

HYDRO-GEAR® ZT-3200® TRANSAXLES

Designed for larger commercial jobs, ZT-3200 Transaxles deliver continuous torque, smooth speed and bi-directional control.

- Hydro-Gear ZT-3200 Transaxles
- 0-9 mph Forward Speed

48 inches
25 gross hp²



724cc Briggs & Stratton Commercial Series V-Twin

Fabricated Mower Deck with Limited Lifetime Warranty¹

- High Back Seat with Arm Rests
- 10-Position Foot-Assisted Height-of-Cut
- Mower Deck Rear Roller Bar

52 inches
25 gross hp²



724cc Briggs & Stratton Commercial Series V-Twin

Fabricated Mower Deck with Limited Lifetime Warranty¹

61 inches
25 gross hp²



724cc Briggs & Stratton Commercial Series V-Twin

Fabricated Mower Deck with Limited Lifetime Warranty¹



TEXT 'CONTENDER' TO 33988 TO LEARN MORE

DATA RATES APPLY.²



CITATION XT ZERO TURN

YOU HAVE A CHALLENGE, MEET THE SOLUTION You have a big yard, big trees and a big job ahead of you... it's time you had the mower that's up to the task. Built with a powerful commercial-grade engine, comfortable suspension system and the choice of a 52-inch or 61-inch fabricated mower deck, the Citation XT makes short work of any big job.



BRIGGS & STRATTON COMMERCIAL SERIES ENGINE

Designed to perform under harsh, demanding conditions, the Commercial Series Engine provides ultimate dust and debris protection for extended engine life.

CONTROL PANEL

Every control is right at your fingertips: key switch, choke, throttle, electric PTO switch, hour meter, cup holder and fuel gauge.

HYDRO-GEAR® ZT-3400® TRANSAXLES

Designed for larger commercial applications, Hydro-Gear ZT-3400 Transaxles deliver up to 225 ft-lbs of continuous torque for smooth speed and control.

SCS Commercial-style mowing with a front- and rear-wheel suspension system, comfortable high-back seat, adjustable steering levers, convenient controls and padded footrests.

FABRICATED MOWER DECK Made from 10-gauge steel with reinforced top, side skirts, corners and a steel front edge to ensure durability and a quality cut. Includes a limited lifetime warranty.¹



52 inches
27 gross hp²



810cc Briggs & Stratton Commercial Series V-Twin

Fabricated Mower Deck with Limited Lifetime Warranty¹

61 inches
27 gross hp²



810cc Briggs & Stratton Commercial Series V-Twin

Fabricated Mower Deck with Limited Lifetime Warranty¹

- Adjustable Twin-Lever Steering Controls for Comfortable Operation
- Premium Adjustable Seat with Armrests
- 0-10 mph Forward Speed
- Commercial-Grade Mower Deck Spindles



TEXT 'CITATION' TO 33988
FOR CUSTOMER REVIEWS

DATA RATES APPLY.³

¹ All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.

² See operator's manual or www.simplicitymfg.com for complete warranty details.

³ Go to www.simplicitymfg.com for terms and privacy information.

For additional attachments, please see pages 22-23.
For a full list of specifications please see pages 30-31.



COBALT ZERO TURN

COMMERCIAL MEETS RESIDENTIAL The Cobalt is the ultimate in zero turn mowing getting the job done quickly, comfortably, and beautifully. With its commercial features, you will have a professional looking yard in no time.



SCS™ Cobalt's four-wheel suspension system gives you a smoother ride at faster mowing speeds.

FABRICATED MOWER DECK An innovative cutting system has the center point offset, allowing for supreme cutting and excellent discharge. A reinforced leading edge provides protection where it's needed most.

FOOT-ASSISTED HEIGHT-OF-CUT The easy-to-adjust, height-of-cut control can adjust cutting height from 1.5-inches to 5-inches.



VANGUARD 810 ENGINE WITH OIL GUARD™ Vanguard Commercial Engines with the Oil Guard System are designed for you to go further, cut longer, and maximize productivity. The 500-hour oil change interval with the Oil Guard System means less time changing the oil and more time mowing (on select models).

HYDRO-GEAR® ZT-4400™ TRANSAXLES The ZT-4400 transaxles are commercially engineered. Featuring cooling fans and a robust planetary gear reduction.

CONTROLS Every control is tailored to commercial-style demands: easy-to-use, conveniently located and extremely durable.

61 inches
26 gross hp¹



810cc Vanguard V-Twin

Fabricated Mower Deck with Limited Lifetime Warranty²

61 inches
28 gross hp¹



810cc Vanguard V-Twin with Oil Guard and EFI

Fabricated Mower Deck with Limited Lifetime Warranty²

- Large 24" Rear Tires
- 0-10 mph Forward Speed Makes Quick Work of Any Job
- Twin 5.5 Gallon Fuel Tanks for Long Run Time (11-Gallon Capacity)

- High-back Seat with Armrests
- Foldable Roll Over Protection System (ROPS)



TEXT 'COBALT' TO 33988 TO SEE IT IN ACTION

DATA RATES APPLY.³

¹All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.
²See operator's manual or www.simplicitymfg.com for complete warranty details.
³Go to www.simplicitymfg.com for terms and privacy information.



COBALT LE

OUT-SPEC THE COMPETITION Experience the latest in mowing technology. This drive system features independent, commercial Hydro-Gear® ZT-5400 Powertrain® Transaxles for improved dependability and increased performance. Large 26" drive tires allow for greater traction, smoother ride and less turf damage. The high quality deck mounts and leveling systems means your mower will cut a beautiful lawn for years to come.



VANGUARD BIG BLOCK

For the most challenging applications, this Big Block engine with EFI has been expertly engineered to deliver the dependability to get more done in less time. Plus, The 500-hour oil change interval with the Oil Guard System means less time changing the oil and more time mowing.

COMMERCIAL GRADE

Hydro-Gear ZT-5400 transaxles for year after year durability.

HEAVY DUTY

Fabricated mower deck, for a lifetime of mowing.

SCS™ Adjustable Rear Coil-Over Shocks & four-wheel suspension for a smoother ride at faster speeds.

SMOOTH TRACTION
Wide, 26" rear turf tread tires for a smooth ride and less turf damage.



61 inches
37 gross hp¹



993cc Vanguard BIG BLOCK with Oil Guard and EFI

Fabricated Mower Deck with Limited Lifetime Warranty²

72 inches
37 gross hp¹



993cc Vanguard BIG BLOCK with Oil Guard and EFI

Fabricated Mower Deck with Limited Lifetime Warranty²

- Operator Comfort with Superior Suspension, High-Back Seats and Armrests
- Foldable Roll Over Protection System (ROPS)
- Long Run Time with Twin 5.5 Gallon Fuel Tanks
- 16-Position Height-of-Cut Adjustment Allows You to Adjust to Specific Height Needs



TEXT 'COBALTE' TO 33988
TO LEARN MORE

DATA RATES APPLY.³

For attachments, please see page 22-23.
For a full list of specifications please see page 31.

MORE THAN JUST MOWING.

There's a lot more to yard care than just cutting the grass. Simplicity Attachments help you collect, haul and sweep your way to a beautiful yard. Compatibility varies by model, see complete fit-up guide on page 23.



TURBO ATTACHMENT



TRIPLE BAG GRASS CATCHER



TWIN BAG GRASS CATCHER



WIDE BODY CART COLLECTOR



FRONT & REAR WEIGHTS
WITH CARRIER



50" TILLER



MULCHER KITS



DUMP CART



48" DOZER BLADE



60" DOZER BLADE



HEADLIGHT KIT



CARGO BED² &
CARGO BED CLIPS



REAR WHEEL WEIGHTS
& TIRE CHAINS



42" SINGLE-STAGE
SNOWTHROWER



42" & 47" TWO-STAGE
SNOWTHROWER



SOFT SNOW CAB